# 158EZNF



### Type N Female EZfit® for 1-5/8 in FXL-1873 and AVA7-50 cable

### **Product Classification**

Product Type Wireless and radiating connector

Product Brand EZfit®

**Product Series** AVA7-50 | AVA7RK-50

Ordering Note CommScope® non-standard product

## General Specifications

Body Style Straight

Inner Contact Attachment Method Captivated

Inner Contact Plating Silver

**Interface** N Female

Mounting Angle Straight

Outer Contact Attachment Method Clamp

Outer Contact Plating Trimetal

**Pressurizable** No

#### **Dimensions**

**Nominal Size** 


**Length** 70.1 mm | 2.76 in

**Diameter** 62.99 mm | 2.48 in

Outline Drawing



1-5/8 in



### **Electrical Specifications**

3rd Order IMD at Frequency-116 dBm @ 1800 MHz3rd Order IMD Test MethodTwo +43 dBm carriers

Insertion Loss Coefficient, typical 0.05

**Average Power at Frequency** 0.6 kW @ 900 MHz

Cable Impedance 50 ohm **Connector Impedance** 50 ohm 2000 V dc Test Voltage Inner Contact Resistance, maximum 2 m0hm Insulation Resistance, minimum 5000 MOhm **Operating Frequency Band** 0 - 2700 MHz **Outer Contact Resistance, maximum** 0.3 m0hm Peak Power, maximum 10 kW RF Operating Voltage, maximum (vrms) 707 V

#### VSWR/Return Loss

**Shielding Effectiveness** 

Frequency Band VSWR Return Loss (dB)

-130 dB

**45–400 MHz** 1.017 41.49

**COMMSCOPE®** 

# 158EZNF

401-805 MHz	1.027	37.51
806-960 MHz	1.029	36.9
961-1709 MHz	1.03	36.61
1710-2170 MHz	1.04	34.16
2170-2399 MHz	1.05	32.26
2400-2700 MHz	1.059	30.86

### Mechanical Specifications

Attachment Durability 25 cycles

**Connector Retention Tensile Force** 2,224.11 N | 500 lbf

**Connector Retention Torque** 13.56 N-m | 119.998 in lb

**Insertion Force** 66.72 N | 15 lbf

**Insertion Force Method** MIL-C-39012C-3.12, 4.6.9

Interface Durability 500 cycles

Interface Durability Method IEC 61169-16:9.5

Mechanical Shock Test Method MIL-STD-202F, Method 213B, Test Condition C

### **Environmental Specifications**

Operating Temperature  $-40 \,^{\circ}\text{C}$  to  $+85 \,^{\circ}\text{C}$  (-40  $^{\circ}\text{F}$  to  $+185 \,^{\circ}\text{F}$ )

Storage Temperature  $-55 \,^{\circ}\text{C}$  to  $+85 \,^{\circ}\text{C}$  (-67  $^{\circ}\text{F}$  to  $+185 \,^{\circ}\text{F}$ )

Attenuation, Ambient Temperature  $20 \, ^{\circ}\text{C} \mid 68 \, ^{\circ}\text{F}$ Average Power, Ambient Temperature  $40 \, ^{\circ}\text{C} \mid 104 \, ^{\circ}\text{F}$ 

Corrosion Test Method MIL-STD-1344A, Method 1001.1, Test Condition A

Immersion Depth1 mImmersion Test MatingMated

**Immersion Test Method** IEC 60529:2001, IP68

Moisture Resistance Test Method MIL-STD-202F, Method 106F

**Thermal Shock Test Method** MIL-STD-202F, Method 107G, Test Condition A-1, Low Temperature -55 °C

**Vibration Test Method** IEC 60068-2-6

Water Jetting Test Mating Mated

Water Jetting Test Method IEC 60529:2001, IP66

Packaging and Weights



# 158EZNF

**Weight, net** 536.9 g | 1.184 lb

### Regulatory Compliance/Certifications

Agency Classification

ISO 9001:2015 Designed, manufactured and/or distributed under this quality management system

REACH-SVHC Compliant as per SVHC revision on www.commscope.com/ProductCompliance

ROHS Compliant



#### \* Footnotes

**Insertion Loss Coefficient, typical** 0.05√ freq (GHz) (not applicable for elliptical waveguide)

**Immersion Depth** Immersion at specified depth for 24 hours

