

Fiber outdoor drop cable, LightScope ZWP® Self-Supporting Non-Armored Figure-8, Singlemode G.652.D and G.657.A1, 2 fiber Arid Core construction with 0.109 in messenger, Gel-filled, central loose tube, Feet jacket marking, Black jacket color

 \*Product complies with the Build America, Buy America Act (BABAA) requirements of the Infrastructure Investment and Jobs Act of 2021 (Pub. L. 117- 58, §§ 70901-70953), or is the subject of a waiver approved by the Secretary of Commerce or designee. Compliance requirements and waiver applicability vary based on government funding program. Check the laws and regulations for your specific program.

#### Product Classification

Regional Availability

Asia | Australia/New Zealand | EMEA | Latin America | North

America

Portfolio CommScope®

**Product Type** Fiber drop cable

Product Series M-MN

Government Funding Build America Buy America (BABA) compliant\*

### General Specifications

Cable Type Central loose tube

Construction Type Non-armored

Subunit Type Gel-filled

Jacket Color Black

Jacket Marking Feet

Subunit, quantity 1

Fibers per Subunit, quantity 2

**Total Fiber Count** 2

### **Dimensions**

Height Over Jacket 10.7 mm | 0.421 in


**Buffer Tube/Subunit Diameter** 2.5 mm | 0.098 in

**Diameter Over Jacket** 5.1 mm | 0.201 in

**Diameter Over Messenger Jacket** 4.3 mm | 0.169 in

**COMMSCOPE®** 

### Representative Image



### Material Specifications

Jacket Material PE

### Mechanical Specifications

Minimum Bend Radius, loaded77 mm3.031 inMinimum Bend Radius, unloaded51 mm2.008 inTensile Load, long term, maximum400 N89.924 lbfTensile Load, short term, maximum1334 N299.895 lbf

Compression 10 N/mm | 57.101 lb/in

**Compression Test Method** FOTP-41 | IEC 60794-1 E3

Flex 35 cycles

Flex Test Method FOTP-104 | IEC 60794-1 E6

**Impact** 1.47 N-m | 13.011 in lb

Impact Test Method FOTP-25 | IEC 60794-1 E4

**Strain** See long and short term tensile loads

Strain Test Method FOTP-33 | IEC 60794-1 E1

Twist 10 cycles

Twist Test Method FOTP-85 | IEC 60794-1 E7

**Vertical Rise, maximum** 529 m | 1,735.564 ft

Optical Specifications

**Fiber Type** G.652.D and G.657.A1 | G.652.D and G.657.A1

**COMMSCOPE®** 

### **Environmental Specifications**

Installation temperature  $-30 \,^{\circ}\text{C}$  to  $+70 \,^{\circ}\text{C}$  (-22  $^{\circ}\text{F}$  to  $+158 \,^{\circ}\text{F}$ )

Operating Temperature  $-40 \,^{\circ}\text{C}$  to  $+70 \,^{\circ}\text{C}$  (-40  $^{\circ}\text{F}$  to  $+158 \,^{\circ}\text{F}$ )

Storage Temperature  $-40 \,^{\circ}\text{C}$  to  $+75 \,^{\circ}\text{C}$  (-40  $^{\circ}\text{F}$  to  $+167 \,^{\circ}\text{F}$ )

Cable Qualification StandardsANSI/ICEA S-110-717Environmental SpaceAerial, self-support

Jacket UV Resistance UV stabilized

Water Penentration 24 h

**Water Penentration Test Method** FOTP-82 | IEC 60794-1 F5

**Environmental Test Specifications** 

**Cable Freeze** -2 °C | 28.4 °F

Cable Freeze Test Method FOTP-98 | IEC 60794-1 F15

**Drip** 70 °C | 158 °F

**Drip Test Method** FOTP-81 | IEC 60794-1 E14

**Heat Age** -40 °C to +85 °C (-40 °F to +185 °F)

Heat Age Test Method IEC 60794-1 F9

**Low High Bend**  $-30 \,^{\circ}\text{C}$  to  $+60 \,^{\circ}\text{C}$  (-22  $^{\circ}\text{F}$  to  $+140 \,^{\circ}\text{F}$ )

**Low High Bend Test Method** FOTP-37 | IEC 60794-1 E11

**Temperature Cycle** -40 °C to +70 °C (-40 °F to +158 °F)

**Temperature Cycle Test Method** FOTP-3 | IEC 60794-1 F1

Packaging and Weights

**Cable weight** 77 kg/km | 51.742 lb/kft

### Regulatory Compliance/Certifications

#### Agency Classification

ISO 9001:2015 Designed, manufactured and/or distributed under this quality management system



#### Included Products

DB-8W-LT

Page 3 of 4



LightScope ZWP® Singlemode
 Fiber

### \* Footnotes

**Operating Temperature** Specification applicable to non-terminated bulk fiber cable

