

Type N Female Bulkhead for CNT-400 braided cable

OBSOLETE

Product Classification

 Product Type
 Braided cable connector

 Product Brand
 CNT® | ConQuest®

General Specifications

Body StyleBulkheadInner Contact Attachment MethodCaptivatedInner Contact PlatingGold

 Interface
 N Female

 Outer Contact Attachment Method
 Clamp

 Outer Contact Plating
 Trimetal

 Pressurizable
 No

Dimensions

 Width
 22.35 mm | 0.88 in

 Length
 49.78 mm | 1.96 in


 Diameter
 22.35 mm | 0.88 in

Nominal Size 0.405 in

Outline Drawing



400PNF-BHC



Electrical Specifications

Insertion Loss, typical 0.05 dB

Average Power at Frequency 580.0 W @ 900 MHz

Cable Impedance50 ohmConnector Impedance50 ohmdc Test Voltage2500 VInner Contact Resistance, maximum1 m0hm

Insulation Resistance, minimum5000 MOhmOperating Frequency Band0 - 6000 MHzOuter Contact Resistance, maximum0.25 mOhm

Peak Power, maximum 10 kW RF Operating Voltage, maximum (vrms) 707 V

VSWR/Return Loss

Frequency Band	VSWR	Return Loss (dB)
0-3000 MHz	1.025	38.17
3000-6000 MHz	1.093	27.05

Mechanical Specifications

Connector Retention Tensile Force 330 N | 74.187 lbf

COMMSCOPE®

400PNF-BHC

Connector Retention Torque 0.56 N-m | 4.956 in lb | 0.75 N-m | 6.638 in lb

Insertion Force28 N | 6.295 lbfInsertion Force MethodIEC 61169-16:9.3.5

Interface Durability 500 cycles

Interface Durability Method IEC 61169-16:9.5

Mechanical Shock Test Method IEC 60068-2-27

Environmental Specifications

Operating Temperature $-40 \,^{\circ}\text{C}$ to $+85 \,^{\circ}\text{C}$ (-40 $^{\circ}\text{F}$ to $+185 \,^{\circ}\text{F}$)

Storage Temperature $-65 \,^{\circ}\text{C}$ to $+125 \,^{\circ}\text{C}$ (-85 $^{\circ}\text{F}$ to $+257 \,^{\circ}\text{F}$)

Attenuation, Ambient Temperature $20 \,^{\circ}\text{C} \mid 68 \,^{\circ}\text{F}$ Average Power, Ambient Temperature $40 \,^{\circ}\text{C} \mid 104 \,^{\circ}\text{F}$ Average Power, Inner Conductor Temperature $100 \,^{\circ}\text{C} \mid 212 \,^{\circ}\text{F}$

Climatic Sequence Test MethodIEC 60068-1Corrosion Test MethodIEC 60068-2-11Damp Heat Steady State Test MethodIEC 60068-2-3

Immersion Depth1 mImmersion Test MatingMated

Immersion Test Method IEC 60529:2001, IP68

Thermal Shock Test Method IEC 60068-2-14

Vibration Test Method IEC 60068-2-6

Packaging and Weights

Weight, net 84.15 g | 0.186 lb

Regulatory Compliance/Certifications

Agency	Classification
CHINA-ROHS	Below maximum concentration value
ISO 9001:2015	Designed, manufactured and/or distributed under this quality management system
REACH-SVHC	Compliant as per SVHC revision on www.commscope.com/ProductCompliance
ROHS	Compliant
UK-ROHS	Compliant



400PNF-BHC



* Footnotes

Insertion Loss, typical 0.05√ freq (GHz) (not applicable for elliptical waveguide)

Immersion Depth Immersion at specified depth for 24 hours

