

Type N Female Bulkhead for CNT-600 braided cable

OBSOLETE

Product Classification

Product Type Braided cable connector

Product Brand CNT®

General Specifications

Body Style Bulkhead
Inner Contact Attachment Method Captivated

Inner Contact Plating Gold

 Interface
 N Female

 Outer Contact Attachment Method
 Clamp

 Outer Contact Plating
 Trimetal

 Pressurizable
 No

Dimensions

 Width
 25 mm | 0.984 in


 Length
 52.64 mm | 2.072 in

 Diameter
 25 mm | 0.984 in

Nominal Size 0.590 in

Outline Drawing





Electrical Specifications

Insertion Loss, typical 0.05 dB

Average Power at Frequency 930.0 W @ 900 MHz

Cable Impedance50 ohmConnector Impedance50 ohmdc Test Voltage2500 VInner Contact Resistance, maximum1 mOhmInsulation Resistance, minimum5000 MOhm

Operating Frequency Band 0 - 6000 MHz
Outer Contact Resistance, maximum 0.25 mOhm

Peak Power, maximum 10 kW RF Operating Voltage, maximum (vrms) 707 V

VSWR/Return Loss

| Frequency Band | VSWR | Return Loss (dB) |
|----------------|-------|------------------|
| 0-3000 MHz | 1.058 | 31.01 |
| 3000-6000 MHz | 1 110 | 25.02 |

Mechanical Specifications

Connector Retention Tensile Force 450 N | 101.164 lbf

COMMSCOPE®

Connector Retention Torque 1.7 N-m | 15.046 in lb

Insertion Force 28 N | 6.295 lbf

Insertion Force Method IEC 61169-16:9.3.5

Interface Durability 500 cycles

Interface Durability MethodIEC 61169-16:9.5Mechanical Shock Test MethodIEC 60068-2-27

Environmental Specifications

Operating Temperature $-40 \,^{\circ}\text{C} \text{ to } +85 \,^{\circ}\text{C} \, (-40 \,^{\circ}\text{F to } +185 \,^{\circ}\text{F})$

Storage Temperature $-65 \,^{\circ}\text{C}$ to $+125 \,^{\circ}\text{C}$ (-85 $^{\circ}\text{F}$ to $+257 \,^{\circ}\text{F}$)

Attenuation, Ambient Temperature 20 °C | 68 °F

Average Power, Ambient Temperature 40 °C | 104 °F

Average Power, Inner Conductor Temperature 100 °C | 212 °F

Climatic Sequence Test Method IEC 60068-1

Corrosion Test Method IEC 60068-2-11

Damp Heat Steady State Test Method IEC 60068-2-3

Immersion Depth 1 m

Immersion Test Mating Mated

Immersion Test Method IEC 60529:2001, IP68

Thermal Shock Test Method IEC 60068-2-14

Vibration Test Method IEC 60068-2-6

VIDIGUOTI I COL MICUION

Packaging and Weights

Weight, net 98.37 g | 0.217 lb

Regulatory Compliance/Certifications

| Agency | Classification |
|---------------|--------------------------------------------------------------------------------|
| CHINA-ROHS | Below maximum concentration value |
| ISO 9001:2015 | Designed, manufactured and/or distributed under this quality management system |
| REACH-SVHC | Compliant as per SVHC revision on www.commscope.com/ProductCompliance |
| ROHS | Compliant |
| UK-ROHS | Compliant |





* Footnotes

Insertion Loss, typical 0.05√ freq (GHz) (not applicable for elliptical waveguide)

Immersion Depth Immersion at specified depth for 24 hours

