# 600PTM-C



### TNC Male for CNT-600 braided cable

#### OBSOLETE This product was discontinued on: January 2, 2017


### Product Classification

Product Type	Braided cable connector
Product Brand	CNT®
General Specifications	
Body Style	Straight
Inner Contact Attachment Method	Captivated
Inner Contact Plating	Silver
Interface	TNC Male
Outer Contact Attachment Method	Clamp
Outer Contact Plating	Silver
Pressurizable	No
Dimensions	
Width	25 mm   0.984 in
Length	48.86 mm   1.924 in
Diameter	25 mm   0.984 in
Nominal Size	0.590 in

# Outline Drawing

Page 1 of 4





## **Electrical Specifications**

Insertion Loss, typical	0.05 dB
Average Power at Frequency	930.0 W @ 900 MHz
Cable Impedance	50 ohm
Connector Impedance	50 ohm
dc Test Voltage	1500 V
Inner Contact Resistance, maximum	1.5 m0hm
Insulation Resistance, minimum	5000 MOhm
Operating Frequency Band	0 – 6000 MHz
Outer Contact Resistance, maximum	0.4 m0hm
Peak Power, maximum	5 kW
RF Operating Voltage, maximum (vrms)	500 V

## VSWR/Return Loss

Frequency Band	VSWR	Return Loss (dB)
0–3000 MHz	1.065	30.05
3000-6000 MHz	1.172	22.03

### Mechanical Specifications

**Connector Retention Tensile Force** 

450 N | 101.164 lbf



# 600PTM-C

Connector Retention Torque	1.7 N-m   15.046 in lb
Coupling Nut Proof Torque	1.7 N-m   15.046 in lb
Coupling Nut Proof Torque Method	IEC 61169-17:9.3.6
Coupling Nut Retention Force	445 N   100.04 lbf
Coupling Nut Retention Force Method	IEC 61169-17:9.3.11
Insertion Force	15 N   3.372 lbf
Insertion Force Method	IEC 61169-17:9.3.5
Interface Durability	500 cycles
Interface Durability Method	IEC 61169-17:17
Mechanical Shock Test Method	IEC 60068-2-27

### **Environmental Specifications**

Operating Temperature	-40 °C to +85 °C (-40 °F to +185 °F)
Storage Temperature	-65 °C to +125 °C (-85 °F to +257 °F)
Attenuation, Ambient Temperature	20 °C   68 °F
Average Power, Ambient Temperature	40 °C   104 °F
Average Power, Inner Conductor Temperature	100 °C   212 °F
Climatic Sequence Test Method	IEC 60068-1
Corrosion Test Method	IEC 60068-2-11
Damp Heat Steady State Test Method	IEC 60068-2-3
Immersion Depth	1 m
Immersion Test Mating	Mated
Immersion Test Method	IEC 60529:2001, IP68
Thermal Shock Test Method	IEC 60068-2-14
Vibration Test Method	IEC 60068-2-6

### Packaging and Weights

#### Weight, net

98.4 g | 0.217 lb

### Regulatory Compliance/Certifications

#### Agency Classification

ISO 9001:2015

Designed, manufactured and/or distributed under this quality management system

Page 3 of 4



# 600PTM-C



## \* Footnotes

**Insertion Loss, typical** 0.05√<sup>−</sup>freq (GHz) (not applicable for elliptical waveguide)

Immersion Depth

Immersion at specified depth for 24 hours

Page 4 of 4

