7714558-0001 | ION-U H 8/9/18P/21P-Vac-M2



ION-U® High Power Remote Unit for EDD 800, CEL 900, DCS 1800 and IMT 2100 Band Applications

OBSOLETE

This product was discontinued on: June 30, 2022

Product Classification

Product TypeRemote unitProduct BrandION-U®

General Specifications

Note Detailed Product Specifications are available. Please contact your

local CommScope representative.

Power Class High

Electrical Specifications

Impedance 50 ohm

License Band CEL 900 | DCS 1800 | EDD 800 | IMT 2100

Voltage Range 100 to 240 Vac

Electrical Specifications, Rx (Uplink)

Operating Frequency Band 1710 – 1785 MHz (DCS 1800) | 1920 – 1980 MHz (IMT

2100) | 832 - 862 MHz (EDD 800) | 880 - 915 MHz (CEL 900)

Wavelength 1310 nm | 1550 nm

Electrical Specifications, Tx (Downlink)

Operating Frequency Band 1805 – 1880 MHz (DCS 1800) | 2110 – 2170 MHz (IMT

2100) | 791 - 821 MHz (EDD 800) | 925 - 960 MHz (CEL 900)

Output Power per Antenna Port

Note * 66 dBc @ 2 and 4 carriers | 63 dBc @ 8 carriers | 60 dBc @ 16

carriers | ** For carrier bandwidth < 5 MHz output power shall be

reduced by 2 dB

Page 1 of 2



7714558-0001 | ION-U H 8/9/18P/21P-Vac-M2

Regulatory Compliance/Certifications

Agency Classification

CHINA-ROHS Above maximum concentration value

ROHS Compliant/Exempted UK-ROHS Compliant/Exempted

